

ZZDM Superabrasives

Add: 25# Eastern Nongye Road, Zhengzhou, Henan China
Tel: 0086-371-6570 7310 Fax: 0086-371-8700 0321
Web: www.zzdomore.com



MATERIAL SAFETY DATA SHEET

SECTION ONE PRODUCT IDENTIFIER

Product Name: Synthetic Grinding Diamonds
Product Description: YRD Series(YRD20,YRD30),RGD Series(RGD20,RGD30)
Synthetic Diamond Grinding Grits.
Applications: Grinding various non-ferrous materials.
Manufacturer: ZZDM Superabrasives
Emergency Call: 0086-371-6570 7310
Prepared Date: August 10, 2010

SECTION TWO INFORMATION ON INGREDIENTS

Component	CAS No.	Percentage by weight
Diamond	7782-40-3	44-100%
Nickel	7440-02-0	0-56%
Copper	7440-50-8	0-50%

Remarks: exact percentage by weight figured depending on product type.

SECTION THREE HAZARD IDENTIFICATION

Diamond is not a hazardous material. No acute and chronic health effects. Exposure to the elements listed in Section Two, by skin contact, ingestion and inhalation can occur when handling, chemically treating, heat treating, abrasive cutting, grinding, polishing or abrading the surface of these materials in a manner which generates particulates.

Potential Health Effects:

Eye: Slight irritation, high concentrations may cause conjunctivitis.
Skin: Tissue irritant. Nickel may cause dermatitis.
Ingestion: Tissue irritant.
Inhalation: Mists or dry dust can cause congestion and tissue irritant.

SECTION FOUR FIRST AID MEASURES

Eye contacts: Remove contact lenses. Flush eyes with pure water.
Skin contact: Wash affected areas thoroughly with soap and water.
Ingestion: Seek medical attention.
Inhalation: Remove to fresh air.

SECTION FIVE FIRE FIGHTING MEASURES

Diamond is not a fire hazard and under normal conditions is non-combustible. But diamond dust produced from some processes may be flammable and may pose a fire hazard if allowed to accumulate in the presence of an ignition source.

Coated diamond may generate toxic gases during a fire and self-contained breathing apparatus should be worn.

Flash Point: n/a	Lower Flammable Limit: n/a
Lower Explosive Limit: n/a	Upper Flammable Limit: n/a
Upper Explosive Limit: n/a	Autoignition: n/a
Hazardous Combustion Products: n/a	Conditions of Flammability: n/a
Extinguishing Media: dry chemical, CO ₂ , Foam or water.	

SECTION SIX ACCIDENTAL RELEASE MEASURES

General: Sweep up material. Prevent dust from becoming airborne.

Small Spills: See above.

Large Spills: See above.

SECTION SEVEN HANDLING AND STORAGE

Handling: Avoid contact with skin and eyes. Wash hands after handling. Keep dust below TLV(s).

Storage: No special precautions.

SECTION EIGHT EXPOSURE CONTROLS / PERSONAL PROTECTION

Exposure Limits: See Section 2.

Ventilation: Local, recommended. Mechanical (General), Recommended.

Respiratory Protection: Dust mask.

Eye Protection: Recommend safety glasses or goggles.

Skin Protection: Protective gloves if needed. Wash after exposure.

Other: n/a

Measures to be taken during repair and maintenance of contaminated equipment that has been in contact with this material: Prevent dust from becoming airborne.

SECTION NINE PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Powder	Wet. Per Gallon: n/a	Volatile Fraction by Weight: n/a
Vapor Pressure: n/a	Liquid Density: n/a	Specific Gravity: 3.513
Vapor Density: n/a	Freezing Point: n/a	Odor: Odorless
Solubility in Water: No	Boiling Point: n/a	
PH: n/a	Evaporation Rate: n/a	

SECTION TEN STABILITY AND REACTIVITY

Stability: Stable

Incompatibility: Inert

Reactivity: n/a

Hazardous Polymerization: Does not occur.

Decomposition: Inert

Conditions to be Avoided: Large amounts of airborne fine suspended in confined areas.

SECTION ELEVEN TOXICOLOGICAL INFORMATION

Data: n/a

SECTION TWELVE ECOLOGICAL INFORMATION

Data: n/a

SECTION THIRTEEN DISPOSAL INFORMATION

RCRA Hazardous Waste: n/a.

Waste Disposal: Recycling is encouraged. Disposal in landfill is acceptable.

SECTION FOURTEEN TRANSPORTATION INFORMATION

ADR: Not regulated. RID: Not regulated. IMDG: Not regulated. ICAO/IATA: Not regulated.

SECTION FIFTEEN REGULATORY INFORMATION

Regulations: This MSDS has been prepared in accordance with EU-regulations.

SECTION SIXTEEN OTHER INFORMATION

Nickel: R40 possible risk of irreversible effects. R43 May cause sensitization by skin contact.

This information is furnished without warranty, expressed or implied, except that it is accurate to the best knowledge of ZZ DOMORE Superabrasives Co., Ltd. The data of this sheet relates only to the specific material designated herein. ZZ DOMORE Superabrasives Co., Ltd assumes no legal responsibility for use or reliance upon these data.

n/a = Not Applicable